

KAULMED

KP-2 Pediatric *Hip Plate System*



about us

KAUL-Medizintechnik GmbH is a German manufacturer and supplier of medical items. Being part of Auxein Group and its German representative, we use its strength and experience to offer excellent products and services.

With our international brand KAULMED our products and we are there
For the Surgeons.



History of "KAULMED"

2020

Construction of KAULMEDs new manufacturing facility has started. Bone Cement and a brand new wound closure system developed in Germany have been added to our portfolio. New catalogues have been designed and published.

2019

KAULMED Spine Solutions were successfully registered and will be dispatched during Q4. Also in 2019 KAULMED gets a new website as we consider this part of our service. At MEDICA 2019 KAULMED is published and made known to the international medical market, with overwhelming success.

2018

KAUL-Medizintechnik GmbH started manufacturing Spine Solutions under KAULMED brand to support a customer and his surgeons. End of 2018 registration of these products in customers country started.

2017

KAUL-Medizintechnik GmbH started its international brand KAULMED. Now the excellent products and services can be offered to customer all over the world.

2016


In 2016 KAUL-Medizintechnik GmbH company structure was modified to ensure enough resources will be available for the new international brand. Manufacturing capacity, customer and technical service have been increased to meet the demands of international customers.

2015

The board of directors decided to use their knowledge and experience of orthopaedic implants to establish a separate international brand.




3.5mm Wise-Lock Pediatric Hip Plate



Degree	Length	Holes	Width	Stainless Steel	Titanium
90°	75mm	3	18.5mm	P20190753S	P20190753T
100°	75mm	3	18.5mm	P201100753S	P201100753T
110°	75mm	3	18.5mm	P201110753S	P201110753T
120°	75mm	4	18.5mm	P201120754S	P201120754T
150°	60mm	3	18.5mm	P201150603S	P201150603T



4.5/5.0mm Wise-Lock Pediatric Hip Plate



Degree	Length	Holes	Width	Stainless Steel	Titanium
90°	90mm	3	22.5mm	P20290903S	P20290903T
100°	90mm	3	22.5mm	P202100903S	P202100903T
110°	90mm	3	22.5mm	P202110903S	P202110903T
120°	95mm	4	22.5mm	P202120904S	P202120904T
150°	75mm	3	22.5mm	P202150753S	P202150753T



3.5mm Wise-Lock Screw, Self-Tapping, (Hex Head)

Stainless Steel	Titanium	Length (mm)
P2033510S	P2033510T	10
P2033512S	P2033512T	12
P2033514S	P2033514T	14
P2033516S	P2033516T	16
P2033518S	P2033518T	18
P2033520S	P2033520T	20
P2033522S	P2033522T	22
P2033524S	P2033524T	24
P2033526S	P2033526T	26
P2033528S	P2033528T	28
P2033530S	P2033530T	30
P2033532S	P2033532T	32
P2033534S	P2033534T	34
P2033535S	P2033535T	35
P2033536S	P2033536T	36
P2033538S	P2033538T	38
P2033540S	P2033540T	40
P2033542S	P2033542T	42
P2033544S	P2033544T	44
P2033545S	P2033545T	45
P2033546S	P2033546T	46
P2033548S	P2033548T	48
P2033550S	P2033550T	50
P2033552S	P2033552T	52
P2033554S	P2033554T	54
P2033555S	P2033555T	55
P2033556S	P2033556T	56
P2033558S	P2033558T	58
P2033560S	P2033560T	60
P2033565S	P2033565T	65
P2033570S	P2033570T	70
P2033575S	P2033575T	75
P2033580S	P2033580T	80



3.5mm Cortical Screw, Self-Tapping, (Hex Head)

Stainless Steel	Titanium	Length (mm)
P2043510S	P2043510T	10
P2043512S	P2043512T	12
P2043514S	P2043514T	14
P2043516S	P2043516T	16
P2043518S	P2043518T	18
P2043520S	P2043520T	20
P2043522S	P2043522T	22
P2043524S	P2043524T	24
P2043526S	P2043526T	26
P2043528S	P2043528T	28
P2043530S	P2043530T	30
P2043532S	P2043532T	32
P2043534S	P2043534T	34
P2043536S	P2043536T	36
P2043538S	P2043538T	38
P2043540S	P2043540T	40
P2043542S	P2043542T	42
P2043544S	P2043544T	44
P2043546S	P2043546T	46
P2043548S	P2043548T	48
P2043550S	P2043550T	50
P2043555S	P2043555T	55
P2043560S	P2043560T	60
P2043565S	P2043565T	65
P2043570S	P2043570T	70
P2043575S	P2043575T	75
P2043580S	P2043580T	80
P2043585S	P2043585T	85
P2043590S	P2043590T	90



4.5mm Cortical Screw, Self-Tapping, (Hex Head)

Stainless Steel	Titanium	Length (mm)
P2054520S	P2054520T	20
P2054522S	P2054522T	22
P2054524S	P2054524T	24
P2054526S	P2054526T	26
P2054528S	P2054528T	28
P2054530S	P2054530T	30
P2054532S	P2054532T	32
P2054534S	P2054534T	34
P2054536S	P2054536T	36
P2054538S	P2054538T	38
P2054540S	P2054540T	40
P2054542S	P2054542T	42
P2054544S	P2054544T	44
P2054546S	P2054546T	46
P2054548S	P2054548T	48
P2054550S	P2054550T	50
P2054552S	P2054552T	52
P2054554S	P2054554T	54
P2054555S	P2054555T	55
P2054556S	P2054556T	56
P2054558S	P2054558T	58
P2054560S	P2054560T	60
P2054565S	P2054565T	65
P2054570S	P2054570T	70
P2054580S	P2054580T	80
P2054585S	P2054585T	85
P2054590S	P2054590T	90



5.0mm Wise-Lock Screw, Self-Tapping, (Hex Head)

Stainless Steel	Titanium	Length (mm)
P2065012S	P2065012T	12
P2065014S	P2065014T	14
P2065016S	P2065016T	16
P2065018S	P2065018T	18
P2065020S	P2065020T	20
P2065022S	P2065022T	22
P2065024S	P2065024T	24
P2065026S	P2065026T	26
P2065028S	P2065028T	28
P2065030S	P2065030T	30
P2065032S	P2065032T	32
P2065034S	P2065034T	34
P2065036S	P2065036T	36
P2065038S	P2065038T	38
P2065040S	P2065040T	40
P2065042S	P2065042T	42
P2065044S	P2065044T	44
P2065046S	P2065046T	46
P2065048S	P2065048T	48
P2065050S	P2065050T	50
P2065052S	P2065052T	52
P2065054S	P2065054T	54
P2065056S	P2065056T	56
P2065058S	P2065058T	58
P2065060S	P2065060T	60
P2065065S	P2065065T	65
P2065070S	P2065070T	70
P2065075S	P2065075T	75
P2065080S	P2065080T	80
P2065085S	P2065085T	85
P2065090S	P2065090T	90



P2I001

Guide Wire, Ø2.0mm x Thread Length 7.5mm x Length 150mm



P2I002

Positioner for Aiming Block



P2I003

Aiming Block, Ø3.5mm



P2I004

Aiming Block, Ø5.0mm




P2I005

Guide Wire, Ø2.8mm x Length 200mm



P2I006

Positioner for Osteotomy



P2I007

Reduction Forcep, Serrated Jaw, Curved



P2I008

LCP Drill Sleeve, Ø2.8mm



P2I009

LCP Drill Sleeve, Ø4.3mm



P2I010

Reduction Sleeve, Ø4.3/2.8mm



P2I011

Depth Gauge, Ø2.8 mm



P2I012

Screwdriver, Hex 2.5mm



P2I013

Holding Sleeve for Screwdriver, Hex2.5mm



P2I014

Screwdriver, Hex 3.5mm



P2I015

Holding Sleeve for Hexagonal Screwdriver, Hex3.5mm



P2I016

Screwdriver Shaft, Hex 2.5mm




P2I017

Screwdriver Shaft, Hex 3.5mm



P2I018

T Handle with Quick Coupling



P2I019

Torque Limiting Screwdriver, 4.0 Nm, Hex 3.5mm



P2I020

Holding Sleeve for Torque Limiting Screwdriver, 4.0 Nm



P2I021

Torque Limiting Screwdriver, 1.5 Nm, Hex 2.5mm



P2I022

Holding Sleeve for Torque Limiting Screwdriver, 1.5 Nm



P2I023

Drill Bit Ø2.5mm x Length 112mm



P2I024

Drill Bit Ø2.8mm x Length 160mm



P2I025

Drill Bit Ø3.2mm x Length 147mm



P2I026

Drill Bit Ø4.3mm x Length 230mm



P2I027

Stopper for Drill Bit, Ø2.8mm



P2I028

Stopper for Drill Bit, Ø4.3mm



P2I029

Depth Gauge measuring upto 60mm



P2I030

Depth Gauge measuring upto 100mm



P2I031

Bone Holding Forcep, Self-Centering



P2I032

Double Drill Guide, Ø2.5/3.5mm



P2I033

Double Drill Guide, Ø3.2/4.5mm



P2I034

Tap, HA3.5mm



P2I035

Tap, HA4.5mm



P2I036

Positioning Plate, Triangular, 90°/50°/40°



P2I037

Positioning Plate, Triangular, 80°/70°/30°



P2I038

Positioning Plate, Triangular, 100°/60°/20°



P2I039

Instrument for Medialization





P2I040

Trays for Pediatric Hip Plate Instrument Set



P2I100

Container with PPSU lid for Pediatric Hip Plate Instrument Set

P2I Pediatric Hip Instrument Set

P2I Pediatric Hip Instrument Set

Code	Set Consisting of	Units
P2I001	Guide Wire, Ø2.0 x Thread Length 7.5mm x Length 150mm	4
P2I002	Positioner for Aiming Block	1
P2I003	Aiming Block, Ø3.5mm	1
P2I004	Aiming Block, Ø5.0mm	1
P2I005	Guide Wire, Ø2.8mm x Length 200mm	8
P2I006	Positioner for Osteotomy	1
P2I007	Reduction Forcep, Serrated Jaw, Curved	1
P2I008	LCP Drill Sleeve, Ø2.8mm	3
P2I009	LCP Drill Sleeve, Ø4.3mm	3
P2I010	Reduction Sleeve, Ø4.3/2.8mm	2
P2I011	Depth Gauge, Ø2.8 mm	1
P2I012	Screwdriver, Hex 2.5mm	1
P2I013	Holding Sleeve for Screwdriver, Hex2.5mm	1
P2I014	Screwdriver, Hex 3.5mm	1
P2I015	Holding Sleeve for Hexagonal Screwdriver, Hex3.5mm	1
P2I016	Screwdriver Shaft, Hex 2.5mm	1
P2I017	Screwdriver Shaft, Hex 3.5mm	1
P2I018	T Handle with Quick Coupling	1
P2I019	Torque Limiting Screwdriver, 4.0 Nm, Hex 3.5mm	1
P2I020	Holding Sleeve for Torque Limiting Screwdriver, 4.0 Nm	1
P2I021	Torque Limiting Screwdriver, 1.5 Nm, Hex 2.5mm	1
P2I022	Holding Sleeve for Torque Limiting Screwdriver, 1.5 Nm	1
P2I023	Drill Bit Ø2.5mm x Length 112mm	2
P2I024	Drill Bit Ø2.8mm x Length 160mm	2
P2I025	Drill Bit Ø3.2mm x Length 147mm	2
P2I026	Drill Bit Ø4.3mm x Length 230mm	2
P2I027	Stopper for Drill Bit, Ø2.8mm	2
P2I028	Stopper for Drill Bit, Ø4.3mm	2
P2I029	Depth Gauge measuring upto 60mm	1
P2I030	Depth Gauge measuring upto 100mm	1
P2I031	Bone Holding Forcep, Self-Centering	1
P2I032	Double Drill Guide, Ø2.5/3.5mm	1
P2I033	Double Drill Guide, Ø3.2/4.5mm	1
P2I034	Tap, HA3.5mm	1
P2I035	Tap, HA4.5mm	1
P2I036	Positioning Plate, Triangular, 90°/50°/40°	1
P2I037	Positioning Plate, Triangular, 80°/70°/30°	1
P2I038	Positioning Plate, Triangular, 100°/60°/20°	1
P2I039	Instrument for Medialization	2
P2I040	Instrument Trays for Pediatric Hip Plate Instrument Set	3
P2I100	Container for PPSU lid for Pediatric Hip Plate Instrument Set	1



KAULMED

KAUL-Medizintechnik GmbH

Josef-Görres-Platz 2, 56068 Koblenz | Germany
Phone: +49 261 3011 332 | Fax: +49 261 3011 111 | Web : www.kaulmed.com

HRB 24579 AG Koblenz | USt-IdNr.: De299657301
Bankers: Deutsche Bank AG | IBAN: DE65 3007 0010 0048 4113 00 | BIC: DEUTDEDDXXX

