

KAULMED

KN-6 FEMUR *Nailing System*



about us

KAUL-Medizintechnik GmbH is a German manufacturer and supplier of medical items. Being part of Auxein Group and its German representative, we use its strength and experience to offer excellent products and services.

With our international brand KAULMED our products and we are there
For the Surgeons.



History of "KAULMED"

2020

Construction of KAULMEDs new manufacturing facility has started. Bone Cement and a brand new wound closure system developed in Germany have been added to our portfolio. New catalogues have been designed and published.

2019

KAULMED Spine Solutions were successfully registered and will be dispatched during Q4. Also in 2019 KAULMED gets a new website as we consider this part of our service. At MEDICA 2019 KAULMED is published and made known to the international medical market, with overwhelming success.

2018

KAUL-Medizintechnik GmbH started manufacturing Spine Solutions under KAULMED brand to support a customer and his surgeons. End of 2018 registration of these products in customers country started.

2017

KAUL-Medizintechnik GmbH started its international brand KAULMED. Now the excellent products and services can be offered to customer all over the world.

2016

In 2016 KAUL-Medizintechnik GmbH company structure was modified to ensure enough resources will be available for the new international brand. Manufacturing capacity, customer and technical service have been increased to meet the demands of international customers.

2015

The board of directors decided to use their knowledge and experience of orthopaedic implants to establish a separate international brand.



KN-6 Femur Nail

Stainless Steel	Titanium	Length	Ø Dia
N60195180S	N60195180T	180mm	9.5mm
N60195200S	N60195200T	200mm	9.5mm
N60195300S	N60195300T	300mm	9.5mm
N60195320S	N60195320T	320mm	9.5mm
N60195340S	N60195340T	340mm	9.5mm
N60195360S	N60195360T	360mm	9.5mm
N60110180S	N60110180T	180mm	10mm
N60110200S	N60110200T	200mm	10mm
N60110300S	N60110300T	300mm	10mm
N60110320S	N60110320T	320mm	10mm
N60110340S	N60110340T	340mm	10mm
N60110360S	N60110360T	360mm	10mm
N60111180S	N60111180T	180mm	11mm
N60111200S	N60111200T	200mm	11mm
N60111300S	N60111300T	300mm	11mm
N60111320S	N60111320T	320mm	11mm
N60111340S	N60111340T	340mm	11mm
N60111360S	N60111360T	360mm	11mm
N60112180S	N60112180T	180mm	12mm
N60112200S	N60112200T	200mm	12mm
N60112300S	N60112300T	300mm	12mm
N60112320S	N60112320T	320mm	12mm
N60112340S	N60112340T	340mm	12mm
N60112360S	N60112360T	360mm	12mm



5.0mm Locking Screw For KN-6 Femur Nail

Stainless Steel	Titanium	Length
N6025032S	N6025032T	32mm
N6025034S	N6025034T	34mm
N6025036S	N6025036T	36mm
N6025038S	N6025038T	38mm
N6025040S	N6025040T	40mm
N6025042S	N6025042T	42mm
N6025044S	N6025044T	44mm
N6025046S	N6025046T	46mm
N6025048S	N6025048T	48mm
N6025050S	N6025050T	50mm
N6025052S	N6025052T	52mm
N6025054S	N6025054T	54mm
N6025056S	N6025056T	56mm
N6025058S	N6025058T	58mm
N6025060S	N6025060T	60mm
N6025062S	N6025062T	62mm
N6025064S	N6025064T	64mm
N6025066S	N6025066T	66mm
N6025068S	N6025068T	68mm
N6025070S	N6025070T	70mm
N6025072S	N6025072T	72mm
N6025074S	N6025074T	74mm
N6025076S	N6025076T	76mm
N6025078S	N6025078T	78mm
N6025080S	N6025080T	80mm



End Cap For KN-6 Femur Nail

Stainless Steel	Titanium
N603S	N603T



N6I001

Threaded Guide Wire Ø3.2mm x Thread Length 15mm x Length 400mm



N6I002

Tissue Protector



N6I003

Depth Gauge, Measuring upto 120mm



N6I004

Protection Sleeve 17/14mm For Entry Reamer/Wire Guide



N6I005

Entry Wire Guide Ø14mm for 3.2mm Guide Wire



N6I006

Entry Reamer Ø13.5mm



N6I007

Cannulated Awl Ø13.5mm



N6I008

Insertion Handle



N6I009

Distal Aiming Device, For Long KN-6 Nail



N6I010

Proximal/Distal Aiming Attachment



N6I011

Proximal Aiming Arm



N6I012

Distal Arm Attachment (For Distal Aiming Device)



N6I013

Proximal/ Distal Short Nail Aiming Device



N6I014

Distal Aiming Device Bolt



N6I015

Stabilizing Rod Guide Ø10/8.0mm



N6I016

Stabilizing Rod With Quick Coupling End



N6I017

Stabilizing Spacer



N6I018

Distal Arm



N6I019

Locking Bolt For Distal Arm



N6I020

Rod With Thread Guide 11/8.0mm



N6I021

Threaded Lateral Stabilizing Rod With Quick Coupling End Ø9.5mm



N6I022

Threaded Lateral Stabilizing Rod With Quick Coupling End Ø10mm



N6I023

Threaded Lateral Stabilizing Rod With Quick Coupling End Ø11mm



N6I024

Threaded Lateral Stabilizing Rod With Quick Coupling End Ø12mm



N6I025

Stabilizing Space for Threaded Rod



N6I026

Nail Holding Bolt



N6I027

Allen key Hex 5.0mm



N6I028

Impactor For Guide Handle



N6I029

Drill For Stabilizing Rod With Quick Coupling End



N6I030

Hammer Guide



N6I031 Extraction Screw For KN-6 Nail



N6I032 Trocar Nail Ø3.2mm



N6I033 Position Rod Ø3.8mm x Length 260mm



Reamer Head

Code	Dia	Code	Dia
N6I034	Ø9mm	N6I039	Ø11.5mm
N6I035	Ø9.5mm	N6I040	Ø12mm
N6I036	Ø10mm	N6I041	Ø12.5mm
N6I037	Ø10.5mm	N6I042	Ø13mm
N6I038	Ø11mm		



N6I043 Handle With Quick Coupling



N6I044

Reducer



N6I045

Guide Wire with Olive Ø2.5mm x Length 1000mm x Olive Ø3.8mm



N6I046

Flexible Reamer Shaft with A.O. Coupling



N6I047

Outer Sleeve 11/8mm



N6I048

Cannulated Sleeve For Drill Bit 8/4mm



N6I049

Long Trocar Ø4.0mm x Length 205mm



N6I050

Drill Bit Plain Shank/Jacob Chuck End Ø4.0mm x Length 320mm



N6I051

Stopper For Drill Bit Ø4.0mm



N6I052

Locating Pin Ø4.0mm x Length 320mm



N6I053

Reamer For Lateral Cortex With Quick Coupling End



N6I054

Hexagonal Wrench, Hex 4.5mm




N6I055

Threaded Trocar For Hexagonal Wrench Ø2.0mm x Thread 4mm x Length 267mm



N6I056

Combined Hammer



N6I057

Combined Wrench 11mm




N6I058

L Handle Pin Wrench Ø4.5mm For Impactor



N6I059

Instrument Trays for KN-6 Nailing Instrument Set



N6I060

Container For KN-6 Nailing Instrument Set



N6I KN-6 Nail Instrument Set



N6I KN-6 Nail Instrument Set

Code	Set Consisting of	Units
N6I001	Threaded Guide Wire Ø3.2mm x Thread Length 15mm x Length 400mm	2
N6I002	Tissue Protector	1
N6I003	Depth Gauge, Measuring upto 120mm	1
N6I004	Protection Sleeve 17/14mm For Entry Reamer/Wire Guide	1
N6I005	Entry Wire Guide Ø14mm for 3.2mm Guide Wire	1
N6I006	Entry Reamer Ø13.5mm	1
N6I007	Cannulated Awl Ø13.5mm	1
N6I008	Insertion Handle	1
N6I009	Distal Aiming Device, For Long KN-6 Nail	1
N6I010	Proximal/Distal Aiming Attachment	1
N6I011	Proximal Aiming Arm	1
N6I012	Distal Arm Attachment (For Distal Aiming Device)	1
N6I013	Proximal/ Distal Short Nail Aiming Device	1
N6I014	Distal Aiming Device Bolt	2
N6I015	Stabilizing Rod Guide Ø10/8.0mm	1
N6I016	Stabilizing Rod With Quick Coupling End	1
N6I017	Stabilizing Spacer	1
N6I018	Distal Arm	1
N6I019	Locking Bolt For Distal Arm	1
N6I020	Rod With Thread Guide 11/8.0mm	1
N6I021	Threaded Lateral Stabilizing Rod With Quick Coupling End Ø9.5mm	1
N6I022	Threaded Lateral Stabilizing Rod With Quick Coupling End Ø10mm	1
N6I023	Threaded Lateral Stabilizing Rod With Quick Coupling End Ø11mm	1
N6I024	Threaded Lateral Stabilizing Rod With Quick Coupling End Ø12mm	1
N6I025	Stabilizing Space for Threaded Rod	1
N6I026	Nail Holding Bolt	1
N6I027	Allen key Hex 5.0mm	1
N6I028	Impactor For Guide Handle	1
N6I029	Drill For Stabilizing Rod With Quick Coupling End	1
N6I030	Hammer Guide	1
N6I031	Extraction Screw For KN-6 Nail	1
N6I032	Trocar Nail Ø3.2mm	1
N6I033	Position Rod Ø3.8mm x Length 260mm	1
N6I034	Reamer Head Ø9mm	1
N6I035	Reamer Head Ø9.5mm	1
N6I036	Reamer Head Ø10mm	1



Code	Set Consisting of	Units
N6I037	Reamer Head Ø10.5mm	1
N6I038	Reamer Head Ø11mm	1
N6I039	Reamer Head Ø11.5mm	1
N6I040	Reamer Head Ø12mm	1
N6I041	Reamer Head Ø12.5mm	1
N6I042	Reamer Head Ø13mm	1
N6I043	Handle With Quick Coupling	1
N6I044	Reducer	1
N6I045	Guide Wire with Olive Ø2.5mm x Length 1000mm x Olive Ø3.8mm	1
N6I046	Flexible Reamer Shaft with A.O. Coupling	1
N6I047	Outer Sleeve 11/8mm	2
N6I048	Cannulated Sleeve For Drill Bit 8/4mm	2
N6I049	Long Trocar Ø4.0mm x Length 205mm	1
N6I050	Drill Bit Plain Shank/Jacob Chuck End Ø4.0mm x Length 320mm	3
N6I051	Stopper For Drill Bit Ø4.0mm	1
N6I052	Locating Pin Ø4.0mm x Length 320mm	2
N6I053	Reamer For Lateral Cortex With Quick Coupling End	1
N6I054	Hexagonal Wrench, Hex 4.5mm	2
N6I055	Threaded Trocar For Hexagonal Wrench Ø2.0mm x Thread 4mm x Length 267mm	2
N6I056	Combined Hammer	1
N6I057	Combined Wrench 11mm	1
N6I058	L Handle Pin Wrench Ø4.5mm For Impactor	1
N6I059	Instrument Trays for KN-6 Nailing Instrument Set	3
N6I060	Container For KN-6 Nailing Instrument Set	1



KAULMED

KAUL-Medizintechnik GmbH

Josef-Görres-Platz 2, 56068 Koblenz | Germany
Phone: +49 261 3011 332 | Fax: +49 261 3011 111 | Web : www.kaulmed.com

HRB 24579 AG Koblenz | USt-IdNr.: De299657301
Bankers: Deutsche Bank AG | IBAN: DE65 3007 0010 0048 4113 00 | BIC: DEUTDEDDXXX

